FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LT. JAMES R. WILLIAMS, U.S.N.

Attached to
- ____ Division,
- SERVICE SQUADRON FIVE Squadron,
- ____ Flotilla,
- 7TH Fleet,
- ____ Naval District,

Commencing +10 0001 1 APRIL, 1966,
(zone time and date)

at ENROUTE PEARL HARBOR, HAWAII TO GUAM, M.I
(location)

and ending -9 2400 30 APRIL, 19 66,
(zone time and date)

at NAGASAKI, JAPAN
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 1 (Date) APRIL (Month) 19 66

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I

POSITION	ZONE	TIME
0800		
L 30-43N	BY	2
λ 164-58W	BY	2

POSITION	ZONE	TIME
1200		
L 20-43.7N	BY	1
λ 165-30W	BY	1

POSITION	ZONE	TIME
2000		
L 20-43.5N	BY	1
λ 166-33W	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Guam, M.I with YFRs 888, 889 and 890 under tow, in accordance with ComServRon Five Sailord, msg. 281948Z of March 1966. Fifteen hundred feet of two inch tow wire out on the bridle. Base course 265°, base speed 10.6 kts. Material condition Yoke (modified) set. Readiness Condition II, Engineering and Damage control condition III set.

CWO Jd Hollis, USN

04-08 Underway as before. 0745 mustered the crew on stations, absentees, none. 0759 c/c to 270°.

Ens. F.C. Higgins, USNR

08-12 Underway as before. 0806 c/s to 11.3 kts

LTJG DF Nolson, USNR

12-16 Underway as before.

LTJG MJ Mussetto, USN

16-18, Underway as before. 1600 retarded all ships clocks one (1) hour to conform to time zone +11 Z- say.

CWO Jd Hollis USN

18-20 Underway as before.

Ens. F.C. Higgins, USNR

20-24 Underway as before. 2315 c/s to 9.5 kts, 2318 c/s to 6.7 kts c/s to 5.2 kts. 2326 c/s to 4.0 kts.

LTJG DF Nolson, USNR.

APPROVED: LT James R Robertson U. S. N. COMMANDING

EXAMINED: LT RS Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ARNAKI ATE-96 ZONE DESCRIPTION +11 DATE SATURDAY (Day) 2 (Date) APRIL (Month) 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR HAWAII TO GUAM, M.I

POSITION ZONE TIME		
0800		
L 20-43.5N	BY 1,2	
λ 167-53W	BY 1,2	

POSITION ZONE TIME		
1200		
L 20-47 N	BY 1-2	
λ 168-21-5N	BY 1,2	

POSITION ZONE TIME		
2000		
L 20-47-5 N	BY 1	
λ 169 27.0W	BY 1	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR 888, 889, AND 890 IN TOW. IN ACCORDANCE WITH COMSERVRON FIVE SAILORD MSG. 281948Z OF MARCH 1966 MATERIAL CONDITION YOKE (MODIFIED) SET, READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III. 1500 FEET OF 2" TOW WIRE OUT. BASE COURSE 270, BASE SPEED 11 KNOTS. MAKING TURNS FOR 4KTS WHILE REPAIRING COOLING WATER LINE TO SHAFT PACKING. 0130 COMPLETED REPAIRS TO SHAFT PACKING COOLING WATER LINE. RESUMED BASE SPEED.

LTJG M Gmbrisette, USN

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES - NONG. 0748 C/C 273°. DLH

CWO J.A. Hollis. USN

08-12 Underway as before. ~~0825~~ 0825 C/S to 10.8 KTS DLH

Ens. F.C. Higgins, USNR

12-16 Underway as before.

LTJG D.T. Johnson, USNR.

16-18 UNDERWAY AS BEFORE

LTJG M Gmbrisette, USN

18-20 Underway as before. ~~1850~~ 1755 sighted unidentified merchant Tanker Brg. 320°. Distance 10 miles. CPA at 1820 Brg. 355°, Range 18,800 yd. Contact last sighted 1850 Brg. 048° Range 13 miles. DLH

CWO J.A. Hollis. USN

20-24 Underway as before. 2000 C/S to 9.5 KTS

Ens F.C. Higgin, USNR

APPROVED: EXAMINED:

LT James R Chidsey U. S. N. COMMANDING LT P.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION ~~+10~~ 11X 01 DATE SUNDAY (Day) 3 (Date) APRIL (Month) 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 20-54 N	BY 1	
λ 170 33W	BY 1	

POSITION	ZONE	TIME
1200		
L 20-48.3N	BY 1	
λ 171 02W	BY 1	

POSITION	ZONE	TIME
2000		
L 20-52. N	BY 1	
λ 171-50 W	BY 1	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Guam, M.I. with TFR 888, 889 and 890 in tow in accordance with COMSERVRON FIVE SAILORD MSG 281948Z of March 1966. Base Course 273° Base Speed 9.5 KTS. Material Condition Yoke is set. Condition of Readiness IV is set. 1500 ft of tow wire to the tows on the bridle. Ships darkened (except for running lights) Engineering and damage Control Condition III set.

LTJG D7 Johnson, USNR

04-08 UNDERWAY AS BEFORE. 0615 OBSERVED SUNRISE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

LTJG MG. Morisette, USN

08-12 UNDERWAY AS BEFORE. 0845 C/C 270°; C/S all stop-C/S 9.5 KTS.

CWO Jul Hallis, USN

12-16 Underway as before

Ens. H.C. Higgins, USNR

16-18 Underway as before

LTJG D7 Johnson, USNR

18-20 UNDERWAY AS BEFORE. 1842 OBSERVED SUNSET.

LTJG MJ Smorisette, USN

20-24 UNDERWAY AS BEFORE,

CWO Jul. Hallis, USN

APPROVED: LT James A Selecman U. S. N. COMMANDING

EXAMINED: LT RD Moore U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +11-X DATE MONDAY (Day) 4 (Date) April (Month) 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I

POSITION	ZONE	TIME
0800		
L 20-50N	BY	1
λ 172-55W	BY	1

POSITION	ZONE	TIME
1200		
L 20-54N	BY	1
λ 173-18.5W	BY	1

POSITION	ZONE	TIME
2000		
L 20°53.5N	BY	1
λ 174°15'W	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independly enroute from Pearl Harbor, Hawaii to Guam M.I. with YFR 888, 889, and 890 in tow. In accordance with Commserforpac Fleet Sailing ltr. 2019487 of March 1966. Material Condition Yoke (modified) set. Readiness Condition ~~III~~ IV, Engineering and Damage control Condition III, 1500 feet of 2" Tow wire out, on the brake. Base course 270, base speed 9.5 kts.

Ens. F.C. Higgins, USNR

04-08 Underway as before. 0745 Mustred the crew on stations absentees: None.

LTJG DT Johnson, USNR

08-12 UNDERWAY AS BEFORE. 0800 C/C TO 268.

LTJG RL Moinette, USN

12-16 UNDERWAY AS BEFORE. 1206 C/S 10.1 Kts. 1435 Report of personnel injury: HARRIS, Lewis B., FN, 917-95-26 USN Received 3½" cut on right elbow at 1400. Ran into KNife held by EATON, Harvey H., FA, 390-85-90. Wound treated and Sutured by Ships Corpsman. placed on Bimiale list for 36 hours. accident with in command, not at work. NOT due to MISCONDUCT

CWO JL Hollis, USN

16-18 UNDERWAY AS BEFORE. 1600 RETARDED ALL SHIPS CLOCKS ONE (1) HOUR TO CONFORM TO TIME ZONE +12 YANKEE.

Ens. F.C. Higgins, USNR

18-20 Underway as before.

LTJG DT Johnson, USNR

APPROVED: LT James R Mickelson U. S. N. COMMANDING

EXAMINED: LT RD Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE MONDAY 4 APRIL 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE. 2145 C/C TO 265.

LTJG M. Amorisette, USN

APPROVED: EXAMINED:

LT James R. Williams U. S. N. COMMANDING LT R.D. Mason, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +12Y DATE TUESDAY 5 APRIL 1966
(Day) (Date) (Month)

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 20°-51'N	BY	1
λ 175°-33'W	BY	1

POSITION	ZONE	TIME
1200		
L 20°49'N	BY	1
λ 175°55'W	BY	1

POSITION	ZONE	TIME
2000		
L 20°-36N	BY	1
λ 176°-54.5W	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Guam, M.I. with YFRs 888, 889 and 890 under tow, in accordance with COMSERVRON FIVE Sailord. Msg. 281945Z of March, 1966. Base course 265°, Base speed 10.1 Kts. Readiness condition IV, Engineering and Damage Control Condition III set. Tow wire on the Brake with 1500 feet out to tows.

CWO J.L. Hollis, USN

04-08 Underway as before. 0745 mustered the crew on station; absentees, none.

Ens F.C. Higgins, USNR

08-12 Underway as before

LTJG D.F. Johnson, USNR

12-16 UNDERWAY AS BEFORE. 1235 C/C TO 262. 1300 EXERCISED THE CREW AT GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA. 1330 SET MATERIAL CONDITION YOKE (MODIFIED). 1334 SECURED FROM GENERAL QUARTERS.

LT R.S. Mason, USN

16-18 UNDERWAY AS BEFORE.

CWO J.L. Hollis, USN

18-20 Underway as before.

Ens. F.C. Higgins, USNR

20-24 Underway as before. 2000 c/c to 2650

LTJG D.F. Johnson, USNR

APPROVED: EXAMINED:

LT James R. Robinson U. S. N. COMMANDING LT R.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABUAKI ATF-96 ZONE DESCRIPTION +12 (Y) DATE WEDNESDAY (Day) 6 (Date) APRIL (Month) 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 20°-42'N	BY	1
λ 178°-21.5W	BY	1

POSITION	ZONE	TIME
1200		
L 20°-25'N	BY	1
λ 178°-51'W	BY	1

POSITION	ZONE	TIME
2000		
L 20°-30N	BY	1
λ 179-37W	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR 88ē, 889, AND 890 UNDER TOW IN ACCORDANCE WITH COMSERURON FIVE SAILORD MSG 281945Z OF MARCH 1966. BASE COURSE 265, BASE SPEED 10.1 KTS, MATERIAL CONDITION YOKE (MODIFIED) IS SET, READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III SET. 2" TOW WIRE ON THE BRAKE WITH 1500 FT OUT TO TOWS.

LTJG M.J. Mariette, USN

Ø4-Ø8 UNDERWAY AS BEFORE.

CWO Jd Hollis, USN

Ø8-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES, NONE. ØØØ2 C/C TO 260°

Ens. F.C. Higgins, USNR

12-16 UNDERWAY AS BEFORE. 123Ø C/C TO 265°

LTJG D.F. Johnson, USNR

16-18 UNDERWAY AS BEFORE.

LTJG M.J. Mariette, USN

18-20 UNDERWAY AS BEFORE. 1814 OBSERVED SUNSET. 1840 SIGHTED LARGE CONTACT 33Ø, RANGE 14 MILES. 1910 CONTACT PASSED CPA RANGE 12 MILES, UNIDENTIFIED - ON COURSE Ø99 SPEED 16.5 KTS. 1925 CONTACT PASSED FROM SIGHT BRG. Ø25 14 MILES.

CWO Jd Hollis, USN

20-24 UNDERWAY AS BEFORE

Ens. F.C. Higgins, USNR

APPROVED: LT James R. Wickman U. S. N. COMMANDING

EXAMINED: LT R.D. Moon U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) . 19 ____

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY	____
λ _____	BY	____

POSITION	ZONE	TIME
1200		
L _____	BY	____
λ _____	BY	____

POSITION	ZONE	TIME
2000		
L _____	BY	____
λ _____	BY	____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

CROSSED INTERNATIONAL DATE
ON A WESTERLY HEADING.
7 APRIL HAS THEREFORE BEEN OMITTED

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -12 DATE FRIDAY (Day) 8 (Date) APRIL (Month) 19 66.

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
0800	1200	2000	
L 20°25'N BY 184	L 20°-24'N BY 1	L 20°-18'N BY 4	
λ 179° 00'E BY 184	λ 178°-31.5E BY 1	λ 177°-37E BY 4	

REMARKS

00-04 Steaming Independently enroute from Pearl Harbor Hawaii, to Guam, M.I. with YFR's 888, 889 890 under tow en accordance with ~~YFR~~ Comservpac Fox Sailing msg. 01 2819457 of March 1966. Base Course 265, Base Speed 10.1 KTS Material Condition Yoke (Modified), Readiness Condition IV, Engineering and Damage Control Condition III set. Tow wire on the brake with 1500 ft out to the tows 0001 Set the Clocks ahead 24 hours to conform with ~~-12~~ -12½ Zone time; CROSSED INTERNATIONAL DATE LINE

LTJG D T Johnson, USNR

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE

LTJG M Gmoniette, USN

08-12 UNDERWAY AS BEFORE. 0830 C/S 0.0 KTS, C/S 10.1 KTS.

CWO J.D. Hollis, USN

12-16 Underway as before. 1300 EXERCISED The crew at GENERAL quarters. 1306 MATERIAL condition Zebra SET. 1317 SIMULATED ROCKET hit PORT side, AFT. Fire and flooding COMPARTMENT C-202-L. 1331 SECURED FROM ROCKET hit. 1351 Simulated NUCLEAR shallow water burst off STBD BOW. 1426 SET MATERIAL CONDITION YOKE. 1430 SECURED FROM GENERAL quatens; SECURED FROM all exercises.

LT R D Mason, USN

12-16 (CONTINUED) Underway as before.

Ens F C Higgins, USNR

16-18 Underway as before

LTJG D T Johnson, USNR

18-20 UNDERWAY AS BEFORE

LTJG M Gmoniette, USN

APPROVED: LT James R Sulecki U. S. N. COMMANDING

EXAMINED: LT D S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE FRIDAY 8 APRIL 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE. 2215 C/C 255°, 2220 C/C 245°, 2230 C/C 235°.

CWO J. L. Hollis, USN

APPROVED:

LT [signature] U. S. N. COMMANDING

EXAMINED:

LT [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABUAKI ATT-96 ZONE DESCRIPTION -12 DATE SATURDAY 9 APRIL 19 66
(Day) (Date) (Month)

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I

POSITION	ZONE	TIME
0800		
L 19°-56'N	BY	1
λ 176-44'E	BY	1

POSITION	ZONE	TIME
1200		
L 19°-30N	BY	1
λ 176°-33.5E	BY	1

POSITION	ZONE	TIME
2000		
L 19 09.5 N	BY	2
λ 175-28E	BY	2

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii, to Guam, M.I. with VAR FFF, 889 890 in dog tow in accordance with Conservron five Sailing msg 28 1945 Z of march 1966. Base course 235°, Base Speed 10 KTS material condition ZEBRA (modified), Readiness condition III, Engineering and Damage Control condition III sets. 2 inch (Dia) Tow wire on the brake with 1500 feet out to the tow.

Ens. F.C. Higgins, USNR

04-08 Underway as before

LTJG D.F. Johnson, USNR

08-12 UNDERWAY AS BEFORE. *0830 C/S 6.7 KTS, C/S 10.1 KTS. *0800 MUSTERED THE CREW ON STATION. ~~NO ABSENTEES~~. NONE

LTJG M.J. Morisette, USN

12-16 UNDERWAY AS BEFORE. 1220 C/C 245°.

CWO J.D. Hollis, USN

16-18. UNDERWAY AS BEFORE. 1747 C/C TO 255°
1756 C/C TO 260°

Ens. F.C. Higgins, USNR

18-20 UNDERWAY AS BEFORE

LTJG D.F. Johnson, USNR

20-24 UNDERWAY AS BEFORE. 2213 C/C TO 270.

LTJG M.J. Morisette, USN

APPROVED: LT James R. Schulein U. S. N. COMMANDING

EXAMINED: LT R.S. Nason, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -12M DATE SUNDAY (Day) 10 (Date) APRIL (Month) 1966

~~AT/~~PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION ZONE TIME		
0800		
L	19°-08'N	BY 1
λ	174°-12E	BY 1

POSITION ZONE TIME		
1200		
L	19°05.8'N	BY 1
λ	173°-49E	BY 1

POSITION ZONE TIME		
2000		
L	19°09'N	BY 4
λ	172°28E	BY 4

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Guam, M.I., with YFRs 888, 889 and 890 under tow in accordance with COMSERVRON FIVE SAILORD MSG. 281945Z of March 1966. Base Course is 270°, Base Speed 10. Kts. Material Condition Yoke (modified) set. Readiness Condition V. Engineering and Damage Control Conditions IV set. Fifteen Hundred (1500) feet of 2" wire to the tows on the Brake. 0312 C/S 6.7 Kts., C/S 10.1 KTS.

CWO Jd Hollis, USN

04-08 Underway as before.

Ens F.C. Higgins, USNR

08-12 UNDER WAY AS BEFORE. 0800 C/C to 272° C/S to 10.8 KTS. MUSTERED THE CREW ON STATIONS, ABSENTEES: NONE.

LTJG DT Johnson, USNR

12-16 UNDERWAY AS BEFORE.

LTJG MJ Gmbrisatte, USN

16-18 UNDERWAY AS BEFORE.

CWO Jd Hollis, USN

18-20 UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR

20-24 UNDERWAY AS BEFORE

LTJG DT Johnson, USNR

APPROVED: LT James A Williams U. S. N. COMMANDING

EXAMINED: LT RS Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -12 M DATE MONDAY (Day) 11 (Date) APRIL (Month) . 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M. I.

POSITION	ZONE	TIME
0800		
L 19°-13.0'N	BY	1
λ 171°-23'E	BY	1

POSITION	ZONE	TIME
1200		
L 19°-13N	BY	2
λ 171-05E	BY	2

POSITION	ZONE	TIME
2000		
L 19°13'N	BY	1
λ 170° 23.3E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR 888, 889, AND 890 UNDER TOW IN ACCORDANCE WITH COMSERVRON FIVE SAILORD MSG. 281905Z OF MARCH 1966. BASE COURSE IS 272, BASE SPEED IS 10.9 KTS. MATERIAL CONDITION YOKE (MODIFIED) SET. READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III SET. 1500 FEET OF 2" WIRE TO THE TOWS, ON THE BRAKE.

LTJG M.J. Mariette, USNR

04-08 UNDERWAY AS BEFORE. 0745 mustered the crew on stations. absentees: none.

CWO J.L. Hollis, USN

08-12. UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR

12-16 UNDERWAY AS BEFORE. 1207 C/S TO 10.1 KTS.

LTJG D.F. Johnson, USNR

16-18 UNDERWAY AS BEFORE. 1600 LOST SHIPS POWER. 1605 REGAINED SHIPS POWER.

LTJG M.J. Mariette, USNR

18-20 UNDERWAY AS BEFORE.

CWO J.L. Hollis USN

20-24 UNDERWAY AS BEFORE. 2300 C/C to 265°, C/S to 10.8 KTS.

Ens. F.C. Higgins, USNR

APPROVED: LT James R. Jackson U. S. N. COMMANDING

EXAMINED: LT R.D. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -12 M DATE TUESDAY (Day) 12 (Date) APRIL (Month). 1966

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I

POSITION	ZONE	TIME
0800		
L 19°-04.5'N	BY	1
λ 168°-53'E	BY	1

POSITION	ZONE	TIME
1200		
L 19°11'N	BY	1,2
λ 168°29E	BY	1,2

POSITION	ZONE	TIME
2000		
L 19°-12.0'N	BY	1
λ 167°-37.0E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROOTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I WITH YFR 888, 889 and 890 under tow IN ACCORDANCE WITH COMSERVRON FIVE SAILORD MSG 281945Z OF MARCH 1966. BASE COURSE IS 265, BASE SPEED 10.8 KTS. MATERIAL CONDITION YOKE (MODIFIED), READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III SET. 1500 FEET OF WIRE TO THE TOWS, ON THE BRAKE.

LTJG D7 Johnson, USNR

04-08 UNDERWAY AS BEFORE. 0630 OBSERVED SUNRISE.

LTJG M Morisette, USN

08-12 UNDERWAY AS BEFORE. 0800 mustered the crew on stations. absentees: none. 0833 C/S 6.7 Kts, C/S 10.8 Kts.

CWO J.L. Hollis, USN

12-16 UNDERWAY AS BEFORE.

Ens. T.C. Higgin, USNR

16-18 UNDERWAY AS BEFORE.

LTJG D7 Johnson, USNR

18-20 UNDERWAY AS BEFORE. 1904 OBSERVED SUNSET.

LTJG M Morisette

20-24 UNDERWAY AS BEFORE.

CWO J.L. Hollis, USN

APPROVED: LT James R. [illegible] U. S. N. COMMANDING

EXAMINED: LT R D Johnson, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -12 M DATE WEDNESDAY (Day) 13 (Date) APRIL (Month) 19 66

AT/PASSAGE FROM Pearl Harbor, Hawaii TO Guam, M. I.

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
0800	1200	2000	
L 18°-53'N BY 1,2	L 18°-47'N BY 1	L 18°-33'N BY 1	
λ 166°-10'E BY 1,2	λ 165°-47'E BY 1	λ 164°-46'E BY 1	

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Guam, M.I. with YFR 896, 889 and 890 under tow. In accordance with Conservation Fire Bulletin msg. 2814457 of March 1966. Base course is 265°, Base speed is 10.5 kts. Material Condition Yoke (modified), Readiness Condition IV, Engineering and Damage Control Condition III set. 1500 feet of two inch tow wire to the tows, on the bitts. 0001 c/c to 256°. 0134 sighted Wake Island light brg. 220°, distance 23 miles; 0257 passed Wake Island light abeam to Starboard, distance 18.6 miles.

Ens. F.C. Higgin, USNR

04-08 Underway as before. 0431 Wake Island light passed from nine bearing 010, distance 19.5 miles. 0625 lost ~~visu~~ radar contact with Wake Island light. ***

LTJG D.F. Johnson, USNR

08-12 Underway as before. 0800 c/s to 10.1 kts. 0800 mustered the crew on stations; absentee, none.

LTJG ~~D.F.~~ M. Morisette, USN

12-16 Underway as before. 1411 c/s to 6.7 kts. c/s to 10.1 kts.

Lcdr J.O. Hallin USN

16-18 Underway as before. 1600 Retarded ship clocks one hour to conform with -11 L zone time ***

Ens. F.C. Higgin, USNR

18-20. Underway as before.

LTJG D.F. Johnson USNR

20-24 Underway as before.

LTJG ~~D.F.~~ M. Morisette, USN

APPROVED: EXAMINED:

LT James R. Richardson U. S. N. COMMANDING LT R.S. Moon U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION - 11 DATE THURSDAY (Day) 14 (Date) APRIL (Month) 1966

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 18°-17'N	BY	1
λ 163°-29'E	BY	1

POSITION	ZONE	TIME
1200		
L 18°-18.6N	BY	1
λ 163°-04 E	BY	1

POSITION	ZONE	TIME
2000		
L 17°-58.3'N	BY	1
λ 162°-15.3E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Guam, M.I. with YFRs 888, 889 and 890 under tow in accordance with COMSERVRON FIVE SAILORD MSG. 281945Z of March, 1966. Base Course 256°, Base speed 10.1 Kts. 1500 feet of wire to the tows on the Brake. Material Condition Yoke (modified) set. Readiness condition IV, Damage Control and Engineering condition III set. 0210 Sighted white light Contact Bearing 335° approximately, range 22,000 yards. 0235 Contact passing apparent C.P.A. Brg. 005, range 16,000yds. Unable to identify, appears to be small fishing type vessel less than 150 ft. long. 0245 Radar holds Contact on course 130° - speed 8Kts. range 17,000 yds. 0305 lost Radar and Visual position of contact, bearing 060° range 18,000 yards. SCH

CWO J.D Hollis, USN

04-08 UNDERWAY AS BEFORE. 0743 C/S 9.5Kts.

Ens. F.C. Higgins, USNR

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES: NONE.

LTJG D.E. Olmson, USNR

12-16 UNDERWAY AS BEFORE, 1404 C/S 0.0 Kts. 1415 C/S 9.5 Kts.

LTJG M. Mariscette, USN

16-18 UNDERWAY AS BEFORE.

CWO J.D Hollis, USN

18-20 UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR

APPROVED: LT James R. Robertson U. S. N. COMMANDING

EXAMINED: LT R.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE THURSDAY 14 APR. 1966.
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE.

LTJG DF Johnson, USNR

APPROVED: EXAMINED:

LT [signature] U. S. N. COMMANDING [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -11 L DATE FRIDAY (Day) 15 (Date) April (Month) 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I

POSITION	ZONE	TIME
0800		
L 17°-41' N	BY	4
λ 161°-01.5'E	BY	4

POSITION	ZONE	TIME
1200		
L 17°-34'N	BY	1
λ 160°-37'E	BY	1

POSITION	ZONE	TIME
2000		
L 17°-24'N	BY	1
λ 159°-51'E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming jindependently enroute from Pearl Harbor, Hawaii to Guam, M.I. with 4FR 888, 889, 890 under tow in accordance with Conservron five Sailord msg. 281945Z of March 1966. Base course is 256; Base speed is 9.5 kts. 1500 feet of 2" Tow wire to the tow on the brake. Material Condition Yoke (modified) set, Readiness Condition IV, Damage Control and Engineering Condition III set.

LTJG M[illegible]Mosiette, USN

04-08 Underway as before. 0752 sighted fishing vessel bearing 325 distande about 2 miles on approximately reciprocal course.

CWO Jd Hollis, USN

08-12 Underway as before. 0800 mustered the crew on stations; aparelos, none. 0809 fishing vessel tracked and determined to be on course 140°, speed 8 kts. CPA 056, distance 1.6 miles. 0825 c/s to stop. 0826 c/s to 9.5 kts. 0906 lost sight of fishing vessel bearing 130, range 13 miles

Ens. F.C. Higgins, USNR

12-16 Underway as before. 1525 c/c to 258°

LTJG D[illegible]/Johnson, USNR

16-18 Underway as before.

LTJG M[illegible]Mosiette, USN

18-20 Underway as before.

CWO Jd Hollis, USN

20-24 Underway as before.

Ens. F.C. Higgins, USNR

APPROVED: LT James A [illegible] U. S. N. COMMANDING

EXAMINED: LT R S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION ~~-11~~ L / -10K DATE SATURDAY (Day) 16 (Date) APRIL (Month) 1966

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, MI

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
0800	1200	2000	
L 17°-19'N BY 1	L 17°-05'N BY 1	L 16°52.5'N BY 4	
λ 158°-36.5E BY 1	λ 158°-10.5'E BY 1	λ 15795.8E BY 4	

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR 888, 889 & AND 890 ~~&~~. UNDER TOW IN ACCORDANCE WITH COMSERVRON FIVE SAILORD MSG. 281945Z OF MARCH 1966. BASE COURSE IS. 258°, BASE SPEED IS 9.5 KTS. 1500 FEET OF TOW WIRE, TO THE TOWS, ON THE BRAKE. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION III, DAMAGE CONTROL AND ENGINEERING CONDITION III, SET

LTJG DT Johnson, USNR

04-08 UNDERWAY AS BEFORE. 0443 OBSERVED EARTH SATELLITE BEARING 348, TRAVELING NORTH TO SOUTH. TIME TO TRAVEL HORIZON TO HORIZON ABOUT 20 MIN. 0607 OBSERVED SUNRISE. 0630 CHANGED OPERATIONAL CONTROL TO CTF 73.

LTJG M Gmorisette, USN

08-12 UNDERWAY AS BEFORE. 0800 mustered the crew on stations. absentees: None, 0818 C/S 6.7 Kts., C/S 9.5 Kts. 0902 C/S ALL STOP, C/S 9.5 Kts.

CWO Jal Hollis, USN

12-16 UNDERWAY AS BEFORE.

Ens. F.C. Kiggins, USNR

16-18 UNDERWAY AS BEFORE 1600 RETARDED SHIP'S CLOCKS ONE HOUR TO CONFORM TO -10K TIME ZONE

LTJG DT Johnson, USNR

18-20 UNDERWAY AS BEFORE

LTJG M Gmorisette, USN

20-24 UNDERWAY AS BEFORE.

CWO J.L. Hollis, USN

APPROVED: EXAMINED:

Lt James L. Williams U. S. N. COMMANDING Lt R Olson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE SUNDAY (Day) 17 (Date) APRIL (Month) 1966

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 16-32N	BY	1
λ 156°-00.0E	BY	1

POSITION	ZONE	TIME
1200		
L 16-27.5N	BY	1
λ 155°-34E	BY	1

POSITION	ZONE	TIME
2000		
L 16°35.5'N	BY	1
λ 154°53'E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR 888, 889, 890 UNDER TOW IN ACCORDANCE WITH COMSERVRON FIVE SAILORD MSG, 281945Z OF MARCH 1966. BASE COURSE IS 258°, BASE SPEED IS 9.5 KTS. 1500 FEET OF 2" TOW WIRE TO THE TOW, ON THE BRAKE, MATERIAL CONDITION YOKE (MODIFIED) SET, READINESS CONDITION IV, DAMAGE CONTROL AND ENGINEERING CONDITION III SET.

Ens. F.C. Higgins, USNR

04-08 UNDERWAY AS BEFORE

LTJG D.F. Johnson, USNR

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

LTJG M.J. Morisette, USN

12-16 UNDERWAY AS BEFORE.

CWO J.L. Hollis. USN

16-18 UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR

18-20 UNDERWAY AS BEFORE

LTJG D.F. Johnson, USNR

20-24 UNDERWAY AS BEFORE. 2000 Y/C TO 254.

LTJG M.J. Morisette, USN

APPROVED: LT James R. Robinson U. S. N. COMMANDING

EXAMINED: LT R.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE MONDAY 18 APRIL 1966
(Day) (Date) (Month)

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL
0800	1200	2000	2-ELECTRONIC
L 16°-18N BY 1	L 16°21'N BY 1	L 16-13.0N BY 1	3-VISUAL
λ 153°-34.2E BY 1	λ 153°10.0E BY 1	λ 152-54.0E BY 1	4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YRFs 888, 889 AND 890 UNDERTOW IN ACCORDANCE WITH COMSERVRON FIVE SAILORD. MSG. 281945Z OF MARCH, 1966. BASE COURSE IS 254, BASE SPEED IS 9.5 KTS. MATERIAL CONDITION YOKE (MODIFIED) IS SET. READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITIONS III ARE SET. 1500 FT. OF 2" WIRE OUT to THE TOWS ON THE BRAKE.

CWO, Jd Hollis, USN

04-08 UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS, ABSENTEES: NONE. C/C TO 250° C/S TO 8.3 KTS.

LTJG D Johnson, USNR

12-16 UNDERWAY AS BEFORE.

LTJG M Amoriatte, USN

16-18 UNDERWAY AS BEFORE.

CWO Jd Hollis, USN

18-20 UNDERWAY AS BEFORE. 1927 C/C TO 240°; C/S TO 9.5 KTS.

Ens. F.C. Higgins, USNR

20-24 UNDERWAY AS BEFORE.

LTJG D Johnson, USNR

APPROVED: EXAMINED:

LT James L Sullivan U. S. N. COMMANDING LT D Mason, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION 10 K DATE TUESDAY (Day) 19 (Date) APRIL (Month) 1966

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 15-38 N	BY	1
λ 151-44E	BY	1

POSITION	ZONE	TIME
1200		
L 15-34.6 N	BY	1
λ 151-17.2E	BY	1

POSITION	ZONE	TIME
2000		
L 15°-17.5N	BY	1
λ 150°-45.2E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR's 888, 889, AND 890 UNDER TOW IN ACCORDANCE WITH COMSERFORFIVE SAILORD MSG. 281945Z OF MARCH 1966. BASE COURSE IS 240, BASE SPEED IS 9.5 KTS. MATERIAL CONDITION YOKE (MODIFIED) IS SET. READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III. 1500 FEET OF 2" WIRE OUT TO THE TOWS ON THE BRAKE.

LTJG M Gmorisette, USN

04-08 UNDERWAY AS BEFORE.

CWO Jal Hollis, USN

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES, NONE.; C/C to 255°. 0817 C/S to 6.7 KTS, C/S TO 9.5 KTS.

Ens. H.C. Higgins, USNR

12-16 UNDERWAY AS BEFORE. 1254 C/C TO 252°.

LTJG D F Johnson, USNR

16-18 UNDERWAY AS BEFORE.

LTJG M Gmorisette, USN

18-20 UNDERWAY AS BEFORE. 1928 C/C 255°, C/S 10.1 KTS.

CWO Jal Hollis, USN

20-24 UNDERWAY AS BEFORE.

Ens. H.C. Higgins, USNR

APPROVED:

LT James R. Williamson U. S. N. COMMANDING

EXAMINED:

LT D S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE WEDNESDAY (Day) 20 (Date) APRIL (Month) 19 66

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM M.I.

POSITION	ZONE	TIME
0800		
L 15°-01'N	BY	1
λ 149°-23'E	BY	1

POSITION	ZONE	TIME
1200		
L 15°-02.7N	BY	1
λ 148°-56.3E	BY	1

POSITION	ZONE	TIME
2000		
L 14°-52'N	BY	1
λ 148°-10'E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFR 888, 889, AND 890 UNDER TOW IN ACCORDANCE WITH COMSERVRON FIVE SAIL ORD MSG. 231945Z OF MARCH 1966. BASE COURSE IS 255 BASE SPEED IS 10.1 KTS. MATERIAL CONDITION YOKE (MODIFIED), READINESS CONDITION III, ENGINEERING AND DAMAGE CONTROL CONDITION III SET. 1500 FEET OF TOW WIRE TO THE TOWS ON THE BRAKE. 0345 SIGHTED SURFACE CONTACT BEARING 250, 12 MILES.

LTJG DEJohnson, USNR

04-08 UNDERWAY AS BEFORE. 0400 EXCHANGED CALLS WITH CONTACT. CONTACT IS SS OCEAN PIONEER, ENROUTE FROM GUAM TO PEARL HARBOR. CONTACT COURSE 065, SPEED 16. CPA -2300 YDS, BEARING 165. +0420 CONTACT AT CPA +0408 C/C TO 270. 0435 C/C TO 255. 0500 LOST VISUAL SIGHT OF CONTACT BEARING 075, 12.5 MILES. 0543 OBSERVED SUNRISE.

LTJG MJGraziatte, USN

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE. 0844 C/S 6.7 KTS, C/S 10.1 KTS. 1102 C/S all stop. C/S 10.1 KTS.

CWO Jd Hollis, USN

12-16 UNDERWAY AS BEFORE. 1331 SIGHTED ~~FISHING VESSEL~~ USCG IRONWOOD (W297) for BEARING 350, DISTANCE 11 MILES ON APPROXIMATELY RECIPROCAL COURSE. 1351 C/S to STOP., C/S to 10.1 KTS. 1353 C/S TO STOP, C/S TO 10.1 KTS. 1355 USCG IRONWOOD (W297) TRACKED AND DETERMINED TO BE ON COURSE 073, SPEED 16 KNOTS. CPA 161, DISTANCE 1.5 MILES. 1423 USCG IRONWOOD (W297) PASSED FROM SIGHT BEARING ~~085~~ 087, DISTANCE 10.5 MILES. 1454 —— for SIGHTED FISHING VESSEL, BEARING 005, DISTANCE 4.1 MILES ON APPROXIMATELY RECIPROCAL COURSE, 1458 C/S TO STOP, C/S TO 10.1 KTS. 1506. FISHING VESSEL TRACKED AND DETERMINED TO BE ON COURSE 156, SPEED 10 KTS. CPA 036, DISTANCE 3.8 MILES. 1545 FISHING VESSEL PASSED FROM SIGHT BEARING 033.

Ens. F.C. Higgins, USNR

APPROVED: LT James R. Richardson U. S. N. COMMANDING

EXAMINED: LT P.S. Nelson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE WED. 20 APRIL 19 66.
(Day) (Date) (Month)

REMARKS-CONTINUED

16-18 UNDERWAY AS BEFORE

LTJG DT Johnson, USNR

18-20 UNDERWAY AS BEFORE. 1822 OBSERVED SUNSET.
1946 C/C 250°, C/S 10.8 Kts.

LTJG [illegible] Monette, USN

20-24 UNDERWAY AS BEFORE.

CWO JL Hollis. USN

APPROVED:

Lt James R Johnson U. S. N. COMMANDING

EXAMINED:

LT DS Moon U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE THURSDAY 21 APRIL 19 66
(Day) (Date) (Month)

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 14-23'N	BY	1
λ 146°-51.5'E	BY	1

POSITION	ZONE	TIME
1200		
L 14-16 N	BY	1
λ 146-25E	BY	1

POSITION	ZONE	TIME
2000		
L 14°02'N	BY	
λ 145°34'E	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH VFR 888, 889, AND 890UNDER TOW IN ACCORDANCE WITH COMSERUPAC FIVE SAILORD MSG. 281945Z OF MARCH 1966. BASE COURSE IS 250, BASE SPEED IS 10.5 KTS, MATERIAL CONDITION YOKE (MODIFIED) SET, READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITION III SET. 1500 FEET OF TOW WIRE (2") TO THE TOWS ON THE BRAKE.

Ens. F.C. Higgins, USNR

04-08 UNDERWAY AS BEFORE

LTJG D.T. Johnson USNR

08-12 UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATION. ABSENTEES: NONE

LTJG W.M. Doucette, USN

12-16 UNDERWAY AS BEFORE.

CWO J.L. Hollis, USN

16-18 UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR.

18-20 UNDERWAY AS BEFORE 1817 PICKED UP ROTA ISLAND BEARING 270°, 27 MILES ON RADAR. 1830 SIGHED ROTA ISLAND VISUALLY BEARING 272°.

LTJG D.T. Johnson, USNR

20-24 UNDERWAY AS BEFORE. 2000 C/C TO 243. 2100 SIGHTED NORTHEASTERN GUAM AERO LIGHT BRG 225, 37 MI. 2117 C/C TO 240. 2120 PICKED UP GUAM ON RADAR BEARING 222, RANGE 35 MI. 2130 C/S TO 9.5 KTS. 2131 C/S TO 7.7 KTS. 2137 C/S TO 10.1 KTS. 2142 C/S TO 10.8 KTS 2314 SIGHTED RITIDIAN POINT LIGHT BEARING 228, 26 MILES.

LTJG W.M. Doucette

APPROVED: LT James L. Felicilano U. S. N. COMMANDING

EXAMINED: LT R.D. Rosa U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10 L DATE FRIDAY (Day) 22 (Date) APRIL (Month) . 1966

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO GUAM, M.I.

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL
0800	1200	2000	2-ELECTRONIC
L 13-25 N BY 3	L ____ BY ____	L ____ BY ____	3-VISUAL
λ 144-46E BY 3	λ ____ BY ____	λ ____ BY ____	4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO GUAM, M.I. WITH YFRs 888, 889 AND 890 UNDER TOW IN ACCORDANCE WITH COMSERVRON FIVE SAILORD. MSG. 281945Z of MARCH, 1966. BASE COURSE 243°, BASE SPEED 10.8 KTS. MATERIAL CONDITION YOKE (MODIFIED) SET. READINESS CONDITION IV, DAMAGE CONTROL AND ENGINEERING CONDITIONS III SET. 1500 FEET OF 2" WIRE TO THE TOW ON THE BRAKE. 0302 SIGHTED CONTACT BRG- 340° - RANGE 29,000 YARDS ON COURSE 203° - SPEED 10 Kts., CPA OF 3,000 YARDS at 0415 - BY RADAR. 0310 SIGHTED RED AND WHITE BEACON AT AGANA NAS AIR STA, BEARING 183°, RANGE 32,000 YARDS. 0320 C/C 260°, 0325 LOST SIGHT OF ANDERSON AFB. BEACON BEARING 135°, RANGE 25,000 YARDS. 0328 LOST RADAR CONTACT WITH ROTA ISLAND BRG- 058°, RANGE 29 MILES. 0342 C/C 212°.

AWO Jack Hollis, USN

04-08 UNDERWAY AS BEFORE. 0409 SIGHTED CONTACT BEARING 315, DISTANCE 10 MILES. 0609 C/S TO 7.7 KTS. 0651 SIGHTED CONTACT BEARING 045, DISTANCE 15 MILES. 0702 C/S TO STOP, C/S TO 6.7 KTS. 0719 SIGHTED CONTACT BEARING 031, DISTANCE 13 MILES. 0723 C/S TO 6.7 KTS 0727 C/S TO 8.9 KTS. *0736 C/C TO 040°. *0733 COMMENCED FOR MAKING PREPARATIONS FOR ENTERING PORT. 0742 C/C TO 030°. 0744 C/S TO 5.2 KTS 0745 C/C TO 040. 0752 COMMENCED HEAVING IN THE TOWS. 0757 C/C TO 030°.

Ens. J.C. Higgins, USNR

08-12 Underway as before 0801 C/S TO 2.4 KTS 0803 C/S to 4.0 KTS 0805 C/S to 4.6 KTS. 0815 Flounders plate at the stern, Secured from heaving in tows. 0844 Stationed Special Sea and Anchor Detail. *Commenced Maneuvering on various Courses at Various speeds while standing into Apra Harbor, Guam 0904 YFR 888 and 890 are stopped off on stern 0923 YFR 889 loose due to parting of wire stops and is adrift. 0926 Guam tugs underway for YFR 889. 0941 Commenced moving in on YFR 888 and 890. 0959 YTM 417 is alongside YFR 889 and making preparations to take it in tow 1000 YFR 889 taken in tow by YTM 417: 1041 Tows are are at 300 ft, secured from heaving in tow wire. 1034 YARD tugs alongside tows, preparing to break them loose and take them in tow. *Captain and Navigator on the bridge, OOD has the Conn.

LTJG D.F. Coleman, USNR

APPROVED: LT James R. Robertson U. S. N. COMMANDING

EXAMINED: LT D. D. Ross U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE FRIDAY 22 APRIL 19 66.
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (Continued) 1040 passed between Sea Buoys 1 and 2 inbound. 1042. Entered inland waters. 1055 YFR 888 Broken loose and in tow by YTM 419. 1057. Commenced heaving in tow wire. 1106 Secured from heaving in on tow wire. 1120 YFR 890 broken loose and in tow by YTM 408. Secured tow wire in. 1125. passed buoy # 6 to starboard at 75 yds. 1126 passed Channel Buoy # 8 abeam to starboard at 75 yds. 1127. All stations are manned and ready to enter port. 1128. passed Buoy # 10 abeam to starboard at 75 yds. 1130 The Captain has the Conn. 1135. Commenced making approach to Berth Romeo-one (R-1), 1141 Moored port side to Berth Romeo-one (R-1), U.S. Naval Station, Guam, M.I., with standard mooring lines doubled. SOPA is COMNAVMARIANAS 1145. Secured Special Sea and Anchor Detail, set the regular in port watch.

LTJG D.F. Johnson, USNR.

R-24 MOORED AS BEFORE. 1321 YOG 68 CAME ALONGSIDE TO STARBOARD. 1325 COMMENCED TAKING ON FUEL. DRAFT: FWD. 14'6"; AFT 14'4". 1600 SECURED TAKING ON FUEL, HAVING RECEIVED 38000 GAL. FROM YOG 68. DRAFT: FWD: 13'7"; AFT 16'10". +1800 SET MATERIAL TO CONDITION YOKE MODIFIED. +1720

LTJG M.F. Meisette, USN

APPROVED: Lt James R Robichaux U. S. N. COMMANDING

EXAMINED: LT R.D. Rosa U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10L DATE SATURDAY (Day) 22 (Date) APRIL (Month) 66

AT/PASSAGE ~~FROM~~ GUAM, M.I. TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED PORT SIDE TO BERTH R-1, U.S. NAVAL STATION, GUAM, M.I. WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE (MODIFIED) SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMNAVMARIANAS. * 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. *0634 FRYDENLUND, DONALD C., 390-13-92, CS3, USN RETURNED ABOARD HAVING BEEN AWOL SINCE 0100 THIS DATE

LTJG M. Marinette

08-24 MOORED AS BEFORE 1800 SET MATERIAL CONDITION YOKE MODIFIED. 1805 HOUGHAM, M.D., IC3, 598-09-92, USN PURSUANT TO THE ORDERS OF THE COMMANDING OFFICERS ORDERS DEPARTED THE SHIP TO REPORT TO THE SENIOR SHORE PATROL OFFICER NAUSTA GUAM, M.I. FOR TAD.

CWO JD Hallis, USN

APPROVED: EXAMINED:

L Jamal Jallis U. S. N. COMMANDING R D Moan U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10 L DATE SUNDAY (Day) 24 (Date) APRIL (Month) 1966

AT/~~PASSAGE~~ FROM GUAM, M.I. TO

POSITION	ZONE	TIME
0800		
L INPORT	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L 13-42N	BY	3
λ 144-36	BY	3

POSITION	ZONE	TIME
2000		
L 15-03.1N	BY	1
λ 143-07.6E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 MOORED PORT SIDE TO BERTH ROMEO ONE (R-1) US NAVAL STATION, GUAM, M.I. WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. ~~MATERIAL CONDITION YOKE MODIFIED~~ SET. SHIPS PRESENT INCLUDES VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMNAVMARIANAS. 0101 HOUGHAM, M.D., IC3 598-09-92, USN RETURNED TO THE SHIP HAVING COMPLETED TAD. 0344 FRYDENLUND, D.C., CS3 390-13-92-USN RETURNED TO THE SHIP HAVING BEEN U/A SINCE 0100 THIS DATE. 0630 MORNING DRAFT: 14'-3" FWD. 16'-7" AFT. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

CWO Jd Hollis, USN

08-12 Moored as before. ~~0745 mustered the crew at quarters; absentees, none~~ 0900 commenced making preparations for getting underway. Set material condition Yoke (modified). 0920 Stationed the special sea and anchor detail. 0930 Completed all preparations for getting underway. Drafts: forward 14'6", aft 16'5". 0959 Underway for Nagasaki, Japan in compliance with Commander Fleet Logistic Support Force Seventh Fleet Operation Order 4-66 dated 7 April 1966. Maneuvering to clear the berth (R-1) Romeo-One. Captain and Navigator on the bridge. 1003 Commenced steering various courses at various speeds standing out of Apra Harbor. OOD has the conn. 1009 passed channel buoy #14 abeam to port, distance 200 yards. 1011 passed channel buoy #12 abeam to port, distance 100 yards. 1012 passed channel buoy #11 abeam to starboard, distance 150 yards. 1013 passed channel buoy #10 abeam to port, distance 50 yards. 1015 passed channel buoy #5 abeam to port distance 60 yards. 1016 passed channel buoy #6 abeam to port distance 70 yards. 1027 passed channel buoy #2 abeam to port, distance 100 yards, passed channel buoy #1 abeam to starboard distance 100 yards, entered International waters. 1028 C/C to 285°. 1032 C/S to stop, C/S to 12.3 kts 1036 C/C to 321°.

Ens. F.C. Higgins, USNR

APPROVED: EXAMINED:

LT James A. Nicholson U. S. N. COMMANDING LTJG M. Moriarty S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE Sunday, 24 April, 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (CONTINUED) Underway as before. 1038 Secured the Special Sea and anchor detail 1039 with OROTE PENINSULA light bearing 118°, DISTANCE 1.7 miles Took departure for OMAGASAKI, JAPAN on COURSE 321°, Speed 12.3 KTS. 1039 C/S TO 12.6 KTS

LT D S Mason, USN

12-16 UNDERWAY AS BEFORE.

CWO J C Wallis, USN

16-18 UNDERWAY AS BEFORE.

Ens. F. C. Higgins, USNR

18-20 UNDERWAY AS BEFORE.

LTJG D S Johnson, USNR

20-24 Underway as before. 1955 Sighted surface CONTACT bearing 290°T, DISTANCE about 14 miles. 2000 C/C to 325°. 2025 Surface CONTACT TRACKED AND determined TO be dead IN the water at 7,000 yds bearing 270°, AT CPA and opening.

LT D S Mason, USN

APPROVED: EXAMINED:

Lt James R Robertson U. S. N. COMMANDING LTJG M J Monicatte U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE MONDAY 25 APRIL 19 66
(Day) (Date) (Month)

~~AT~~ PASSAGE FROM GUAM, M.I. TO NAGASAKI, JAPAN

POSITION	ZONE	TIME
0800		
L 17-01.0N	BY	1
λ 148-38E	BY	1

POSITION	ZONE	TIME
1200		
L 18-03.0N	BY	1
λ 141-04.0E	BY	1

POSITION	ZONE	TIME
2000		
L 19-15.0N	BY	1
λ 139-54.0E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM GUAM, M.I. TO NAGASAKI, JAPAN IN ACCORDANCE WITH COM SEVENTHFLT QUARTERLY OPSCHEDULE. BASE COURSE 325° BASE SPEED 12.6 Kts. MATERIAL CONDITION YOKE (Modified) SET. READINESS CONDITION III, DAMAGE CONTROL AND ENGINEERING CONDITIONS III SET.

CWO JL Hollis. USN

04-08. UNDERWAY AS BEFORE.

Ens. F.C. Higgins, USNR

08-12 UNDERWAY AS BEFORE 0800 MUSTERED THE CREW ON STATIONS, ABSENTEES NONE

LTJG DT Johnson, USNR

12-16 Underway as before. 1317 C/S TO 12.3 KTS. 1318 C/C 320°

LT DS Nason

16-18 UNDERWAY AS BEFORE.

CWO JL Hollis. USN

18-20 UNDERWAY AS BEFORE

Ens. F.C. Higgins, USNR

20-24 UNDERWAY AS BEFORE

LTJG DT Johnson, ~~USN~~ USNR DT.

APPROVED: LT James R Sullivan U. S. N. COMMANDING

EXAMINED: LTJG M Doriotte U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE TUESDAY (Day) 26 (Date) APRIL (Month) 19 66

~~AT~~/PASSAGE FROM GUAM, M.I. TO NAGASAKI, JAPAN

POSITION	ZONE	TIME
0800		
L 20°-10.0'N	BY	1
λ 138°-05.0E	BY	1

POSITION	ZONE	TIME
1200		
L 21°-48.9'E	BY	1
λ 137°-27.0'E	BY	1

POSITION	ZONE	TIME
2000		
L 23°-08.0'N	BY	1
λ 136°-24.5'E	BY	1

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Steaming independently enroute from Guam, M.I. to Nagasaki, Japan in accordance with COMSEVENTHFLT ~~FIFTH~~ FOURTH QUARTER OPSKED. Base course 320°, Base Speed 12.3 Kts. Material condition yoke (modified) set. Readiness condition IV, Damage Control and Engineering Conditions III set.

LT R.S. Nason, USN

04-08 Underway as before. 0619 observed Sunrise Colors at half mast in honor of death of Mr. Louis Johnson former Secretary of Defense. JCS msg. 251616Z of April 1966.

CWO J.L. Hollis, USN

08-12 Underway as before, 0800 mustered the crew on stations; Absentees: None. 0836 C/S all stop, C/S 12.3 KTS. 1024 C/S all stop, C/S 12.3 KTS.

Ens. F.C. Higgins, USNR

12-16 Underway as before. 1439 C/S 9.5 KTS. 1441 C/S 6.7 KTS. 1444 C/S all stop. 1446 C/C 000°. 1447 C/S ALL Back HO R.P.M. 1450 C/S ALL STOP. 1453 Commenced Swim Call. 1522 Secured from Swim Call. 1526 C/S 9.5 Kts, C/C 320°. 1530 C/S 12.3 KTS.

LTJG D.T. Johnson, USNR

16-18 Underway as before.

LT R.S. Nason, USN

18-20 Underway as before. 1918 observed Sunset. Closed up Colors. Ref. JCS MSG. 251616Z.

CWO J.L. Hollis, USN

20-24 Underway as before.

Ens. F.C. Higgins, USNR

APPROVED: LT James R. Williamson U. S. N. COMMANDING

EXAMINED: LTJG M.J. Moisette U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96 ZONE DESCRIPTION −10K −9I DATE Wednesday (Day) 27 (Date) April (Month) 1966

~~AT~~/PASSAGE FROM GUAM, M.I TO NAGASAKI, JAPAN

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D.R.
0800	1200	2000	
L 25-05.5N BY 1	L 25-41 N BY 4	L 27°16'N BY 1	
λ 134-26.E BY 1	λ 133-55.2E BY 4	λ 132°50.2E BY 1	

REMARKS

00-04 Steaming Independently enroute from Guam, M.I to Nagasaki, Japan in accordance with Conseventhfltr ~~third~~ FOURTH endorsement, opsked. Base course 320°, base speed 12.3 kts. Material Condition Yoke (modified), Condition of readiness III, Engineering Condition III and Damage control condition III cue set

LTJG D.E. Johnson, USNR

04-08 Underway as before. 0629 Observed sunrise

LT D.S. Nasca, USN

08-12 Underway as before. 0800 c/c 325°, mustered the crew on stations. Absentees, none. 0830 c/s to 6.7 kts, c/s to 12.3 kt.

LTJG M. Gmoriette, USN

12-16 Underway as before. 1510 commenced lying to. held swim call.

Ens. T.C. Higgins, USNR

16-18 Lying to as before. 1600 retarded all ship clocks one (1) hour to conform with -9I time zone. 1505 secured from swim call. 1507 c/s to 6.7 kts. c/c to 325, c/s to 9.5 kt 1513 c/s to 12.3 kts.

LTJG D.E. Johnson, USNR

18-20 Underway as before

LT D.S. Nasca, USN

20-24 UNDERWAY AS BEFORE. 2012 C/C 321°. 2020 SIGHTED CONTACT BEARING 293°, RANGE 8.5 MILES. 2030 CPA DETERMINED BY RADAR. Brg. 330° — Range 10,500 yds. COURSE 017 SPEED 17 Kts. UNIDENTIFIED. 2045 Contact Passed CPA. 2110 CONTACT BEARING 038 RANGE 9 MILES, LOST VISUAL AND RADAR CONTACT. (CONTINUED)

APPROVED: LT James R. Williams U. S. N. COMMANDING

EXAMINED: LTJG M. Gmoriette U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE WEDNESDAY 27 APRIL 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 (CONTINUED) 2225 VISUAL AND RADAR CONTACT, BEARING 230° - RANGE 20,000 YDS. CPA BEARING 170° - RANGE 9,500 YDS. COURSE 020°, SPEED 13 KTS. UNIDENTIFIED. 2307 CONTACT PASSING CPA. 2345 LOST SIGHT OF CONTACT BEARING 115° - RANGE 20,000 YDS.

CWO Jil Hollis. USN

APPROVED

LT James R Selleck U. S. N. COMMANDING

EXAMINED:

LTJG M J Morisette U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9I DATE THURSDAY 28 APRIL 19 66
(Day) (Date) (Month)
~~AT~~/PASSAGE FROM GUAM, M.I TO NAGASAKI, JAPAN

POSITION	ZONE	TIME
0800		
L 29°-09.9N	BY	4
λ 131°-07.5E	BY	4

POSITION	ZONE	TIME
1200		
L 29°51.3'N	BY	3
λ 130° 40'E	BY	3

POSITION	ZONE	TIME
2000		
L 30°-40.75N	BY	2/3
λ 129°-46.1E	BY	2/3

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY ENROUTE FROM GUAM, M.I TO NAGASAKI, JAPAN IN ACCORDANCE WITH COMSEVENTH FLT, ~~THIRD~~ FOURTH QUARTER OPSKED. BASE COURSE 321, BASE SPEED 12.3 KTS. MATERIAL CONDITION YOKE (MODIFIED), READINESS CONDITION IV, ENGINEERING CONDITION III AND DAMAGE CONTROL CONDITION III ARE SET. Ø142 SIGHTED UNIDENTIFIED CONTACT BEARING 321, DISTANCE 14 MILES. Ø145 OBTAINED UNIDENTIFIED RADAR CONTACT BEARING 321, DISTANCE 14 MILES. Ø208 LOST SIGHT OF CONTACT BEARING ØIØ, DISTANCE 20,500 YARDS. Ø225 UNIDENTIFIED CONTACT TRACKED AND DETERMINED TO BE ON COURSE Ø52 SPEED 11.5 KTS. CPA ØIØ, DISTANCE 19,700 YARDS.

Ens. F.C. Higgins, USNR

Ø4-Ø8 UNDERWAY AS BEFORE.

LTJG D.T. Johnson USNR

08-12 Underway as before. 0800 Mustered the crew on stations; absentees: none. 1016 Sighted surface contact bearing 325, distance 10 miles. 1018 Sighted contacted 245° distance 9.5 miles, unidentified as Japanese tanker.* 1108 Japanese tanker passed astern bearing 140 distance 1.5 miles.* 1040 Sighted Yaku Shima bearing 331°, distance 40 miles. 1140 c/s all stop, c/s 12.3 kts. 1145 sighted Kuchinoerabu Jima brg-329 distance 39 miles.

LT R.D. Mason, USN

12-16 UNDERWAY AS BEFORE. 1230 c/s 9.5 KTS, 1515 passed CPA of Yaku Shima Island bearing 050°, distance 15,180 yds.

CWO J.L. Hollis, USN

16-18 UNDERWAY AS BEFORE. 1605 Passed Nagata Misaki light abeam to starboard, bearing Ø43, distance 11.5 miles. 1640 Captain is on the bridge. ~~1640~~ 1642 c/p to 10.8 kts. 1645 c/c to 318, ~~1645~~ 1710 passed Kuchinokerabu Island abeam to starboard, bearing Ø44, distance 5.75 miles.

Ens. F.C. Higgins, USNR

APPROVED: EXAMINED:

LT James A. Williamson U. S. N. COMMANDING LTJG M.J. Mariette U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE THURSDAY 28 APRIL 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 UNDERWAY AS BEFORE 1954 SIGHTED KUSAGAKI KAMINO JIMA LIGHT BEARING 313°, 28 MILES.

LTJG DF Johnson, USNR

20-24 Underway as before. 2110 Obtained radar contact on UJI GUNTŌ bearing, distance 25 miles. 2147 Passed KUSAGAKI KAMINO JIMA light abeam to port; distance 6.5 miles. 2223 C/S 12.3 KTS. 2234 C/C 310. 2323 Sighted TSURIKAKE SAKI light bearing 037, distance 26 miles. 2337 C/C 015°.

LT RS Mason, USN

APPROVED:

LT James A Palmisano U. S. N. COMMANDING

EXAMINED:

LTJG RJ Marcelle U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE FRIDAY 29 APRIL 1966
(Day) (Date) (Month)

~~AT/P~~ASSAGE FROM GUAM, M.I. TO NAGASAKI, JAPAN

POSITION	ZONE	TIME
0800		
L 32-34.9N	BY	3
λ 129°-39.1E	BY	3

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY FROM GUAM, M.I. TO NAGASAKI, JAPAN IN ACCORDANCE WITH COMSEVENTH FLT OPSCHEDULE, FOURTH QUARTER FY-66. BASE COURSE 015, BASESPEED 12.3 KTS. MATERIAL CONDITION YOKE MODIFIED SET. READINESS CONDITION IV, ENGINEERING AND DAMAGE CONTROL CONDITIONS III SET. 0005 SIGHTED TSURIKAKA SAKI LIGHT BEARING 049° DISTANCE APPROXIMATELY 30 MILES. 0020 LOSTSIGHT OF KUSAGAKI KAMINO JIMA LIGHT BEARING 162° DISTANCE APPROXIMATELY 30 MILES. 0049 C/S 9.5 KTS. 0145 SIGHTED TSUBURA SAKI LIGHT BEARING 064°, DISTANCE 24 MILES. 0220 C/S 8.9 KTS. 0225 PASSED TSURIKARA SAKI LIGHT ABEAM TO STARBOARD, BEARING 105°, DISTANCE 14 MILES. 0255 LOST SIGHT OF TSURIKARA SAKI LIGHT BEARING 300°, DISTANCE 18 MILES. 0320 C/C 017°, C/S 8.3 KTS.

CWO J.L. Hollis, USN

04-08 UNDERWAY AS BEFORE. 0519 C/S TO 8.9 KTS. 0533 SIGHTED LAND BEARING 023, DISTANCE 40 MILES. 0637 C/S TO 9.5 KTS. 0700 C/C TO 015°.

Ens. F.C. Higgins, USNR

08-12. Underway as before. 0800 Mustred the Crew on stations, absenters: None. 0851 C/S TO. 10.1 KTS 0900 Stationed the special sea and anchr Detail. Captain and Navigator on the Bridge. 000 has the Conn. Commenced Maneuvering on Various Courses at Various Speeds while standing into Nagasaki Channel. 0925 Pilot boat Came alongside to port. Pilot M. Shige Came aboard 0928 ~~Pilot~~ CAPT. assumed Conn. 0952 Passed Buoy No. 1 abeam to Port at 300 yds. 1000 Commenced approach to anchorage. 1007 anchored in Quarantine anchorage, Nagasaki, Japan in 13 fathoms of water mud bottom, with 4½ fathoms of chain to the Starboard anchor. On the following bearings: Hyuga Light 243° Honda Ko Buoy 314°, Legnal tower 045°. 1029 Pilot departed ship. 1033 Secured Special Sea and anchr detail set the regular inport watch. SOPA is Commanding Officer of the USS Richard B. Edwards (DD-950).

LTJG D.F. Johnson, USNR

APPROVED: LT James A. Robertson U. S. N. COMMANDING

EXAMINED: LTJG M. Mosiello U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE FRIDAY 29 APRIL 19 66.
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Anchored as before. 1400 Commenced making preparations for getting underway. *1508 Set Special Sea and Anchor Detail * 1452 Pilot, N. Iverje aboard. 1525 Completed all preparations for getting underway. 1529. Underway in accordance with COMNAVFORJAPAN Msg. 281000Z. Captain at the Conn, Navigator on the Bridge. 1532 Steering Various Courses at Various speeds while standing into Nagasaki Inner Harbor. 1555 Commenced making approach on berth.

LTJG DT Johnson, USNR

16-24 UNDERWAY AS BEFORE. 1601 Moored Portside to Nagasaki Jetty, Nagasaki, Japan with standard mooring lines doubled. SOPA is Commanding Officer of USS Richard B. Edwards (DD-950). 1614. Secured the special Sea and Anchor Detail set the regular Inport watch. 1615. Pilot departed ship. 1727. Mustered the crew at Quarters, absentees: None. 1745. Pursuant to orders of the Commanding Officer, Aubin, R.C. 913073 BM3, USN, left the ship to report to 'Nagasaki 'Police' Station, Nagasaki, Japan for TAD as shore patrol. 1800 Set Material Condition Yoke Modified.

LTJG DT Johnson, USNR

APPROVED: EXAMINED:

LT James L Williams U. S. N. COMMANDING LTJG DT Jeanisette U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE SATURDAY 30 APRIL 19 66
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ NAGASAKI, JAPAN TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL
0800	1200	2000	2-ELECTRONIC
L _____ BY _____	L _____ BY _____	L _____ BY _____	3-VISUAL
λ _____ BY _____	λ _____ BY _____	λ _____ BY _____	4-D. R.

REMARKS

00-08 Moored port side to berth at Nagasaki Jetty, Nagasaki Japan, with standard mooring lines doubled. Material Condition Yoke modified is set. Ships present include the USS. Richard B. Edwards (DD-950), and miscellaneous Merchant ships and small craft. SOPA is the Commanding officer of the USS Richard B Edwards (DD-950) 0107 Aubyn, R.C., 9130723, BM3, USN, returned to the ship. Driving Completed TAD. 0745 Mustered the crew at Quarters: absenties: None

LTJG DJ Johnson, USNR.

08-24 MOORED AS BEFORE. 0900 USS RICHARD B. EDWARDS (DD-950) DEPARTED NAGASAKI PORT. SOPA PASSED TO COMMANDING OFFICER ABNAKI. 1727 PURUSANT TO THE ORDERS OF THE COMMANDING OFFICER CALLAHAN, John J., BM3, 350-01-93 AND LAWRENCE, ROBERT E., EM3, 430-36-95 USN LEFT 2nd THE SHIP TO REPORT TO THE LOCAL PRECINCT POLICE STATION FOR TAD. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

CWO JR Hollis. USN

APPROVED: EXAMINED:

LT [signature] U. S. N. COMMANDING LTJG [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH